Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Food Contact Declaration of Compliance

Declaration Identification No:	FCMD-Vogue-014

Declaration of Compliance *(tick all that apply)*

☒	On materials and articles in contact with food Regulation (EC) No 1935/2004
☒	Good Manufacturing Practices (GMP, Commission Regulation (EC) No 2023/2006)
☐	BPA and other hazardous bisphenols in materials and articles that come into contact with food Commission Regulation (EU) 2024/3190
☐	Plastic monomers and additives in Regulation 10/2011
☐	For active/intelligent materials in Regulation 450/2009
☐	For recycled plastic processes in Regulation 282/2008
☐	Fo regenerated cellulose film in The Materials and Articles in Contact with Food (England) Regulations 2012

Identification of Food Contact Material

Product Code	Description	Material Type *(e.g. PP / PET / PE / PS – as applicable)*	Intended Use
CS543	Vogue Saucepan Lid Glass - 160mm 6"	Glass	To trap heat, moisture, and steam
CS544	Vogue Saucepan Lid Glass - 180mm 7"	Glass	To trap heat, moisture, and steam
CS545	Vogue Saucepan Lid Glass - 200mm 7 3/4"	Glass	To trap heat, moisture, and steam
CS546	Vogue Glass Casserole Pan Lid - 240mm 9 1/2"	Glass	To trap heat, steam, and moisture inside the dish during cooking.

Composition and BPA / Bisphenol Compliance

In accordance with applicable EU bisphenol requirements:

(1) Bisphenols or bisphenol derivatives intentionally used: None ☐ / Declared below ☐

☒	None
☐	Yes, declared in (2) below

(2) Where Bisphenols or bisphenol derivatives are intentionally used:
(If applicable complete table below):

Substance name	CAS number

The plastic food contact article does not contain intentionally added bisphenol A (BPA) or other restricted bisphenols unless explicitly declared and legally permitted.

Where applicable, compliance with specific migration limits (SMLs) for regulated substances has been verified.

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

I, the undersigned, declare that the equipment specified above conforms to the Regulations as stipulated within this Declaration.

Signed by:
Ashley Hooper
AB6DB7656FFB441...

Nisbets Limited
Avonmouth, United Kingdom – [07.03.2025]
Ashley Hooper
Group Head of Product Quality & Compliance

Migration Testing Compliance

Migration testing has been performed or substantiated to demonstrate compliance with EU requirements:

Overall Migration:
Verified in accordance with Regulation (EU) No 10/2011, using appropriate food simulants and time/temperature conditions representative of intended use.

Specific Migration:
Specific migration limits (SMLs) for regulated substances listed in Annex I of Regulation (EU) No 10/2011 have been assessed and confirmed as compliant, where applicable.

Testing Approach:

☒	Laboratory testing by an accredited laboratory
☐	Compliance substantiated using supplier declarations and worst-case calculation
☐	Combination of testing and risk-based assessment

Test Conditions Covered *(insert screenshot of test report to satisfy the following section)*:
Simulants, contact time, and temperature conditions reflect worst-case foreseeable use of the product.

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Report

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	CAN25-0035731-0001.C001	Transparent glass

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	A1
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Item(s)	Limit	Unit(s)	MDL	A1
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether(PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:
(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
(2) IEC 62321 series is equivalent to EN 62321 series.
(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Remark :

1. The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
   http://echa.europa.eu/web/guest/candidate-list-table
   These lists are under evaluation by ECHA and may subject to change in the future.
2. REACH obligation:
   2.1 Concerning article(s):
   Communication:
   Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

   Notification:
   In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

   Companies supplying articles containing substances of very high concern (SVHCs) on the Candidate List in a concentration above 0.1% weight by weight (w/w) on the EU market must comply with the Waste Framework Directive 2008/98/EC requirement and submit SCIP notifications on these articles to ECHA, as from 5 January 2021.

   2.2 Concerning material(s):
   Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

   If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

   2.3 Concerning substance and preparation:
   If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:
   - a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
   - a mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
   - a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
   (a) a substance posing human health or environmental hazards in an individual concentration of ≥ 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or ≥ 0.2 % by volume for gaseous mixtures; or
   (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
   (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
   (d) a substance for which there are Europe-wide workplace exposure limits
3. If a SVHC is found over the reporting limit, client is suggested to identify the composite component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Testing Group:

Test Result ID	Description	Test Part ID	SGS Sample ID
001	Transparent glass	A1	CAN25-0037088-0001.C001

Test Method:
With reference to SGS In-House method, analysis was performed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.

Result of SVHC in the Candidate List

Batch	Substance Name	CAS No.	001 Concentration (%)	RL (%)
-	All SVHC in Candidate list	-	ND	-

Result of Potential SVHC

Batch	Substance Name	CAS No.	001 Concentration (%)	RL (%)
/	All Potential SVHC	-	ND	-

Notes:
(1) The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
(2) RL = Reporting Limit (Test data will be shown if it ≥ RL. RL is not regulatory limit.)
ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
(3) * The result is based on the calculation of selected element(s) under the worst-case scenario, and the evaluation of substance usage and material properties.
** The result is based on the calculation of selected marker(s) and to the worst-case scenario.
Calculated concentration of boric compounds are based on water extractive boron detected by ICP-OES.
Calculated concentration of Barium diboron tetraoxide is based on water extractive boron and barium detected by ICP-OES.
RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, chromium, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.0005%, boron RL=0.0025% (only for Lead bis(tetrafluoroborate)), fluorine RL=0.050%.
(4) § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) ≥0.1% (w/w).
(5) / = Potential SVHC

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (*w*=0) stated in ILAC-G8:09/2019.

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Appendix
Full list of tested SVHC:

Batch	No.	Substance Name	CAS No.	RL (%)
I	1	4,4'-Diaminodiphenylmethane(MDA)	101-77-9	0.050
I	2	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	0.050
I	3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	0.050
I	4	Anthracene	120-12-7	0.050
I	5	Benzyl butyl phthalate (BBP)	85-68-7	0.050
I	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.050
I	7	Bis(tributyltin)oxide (TBTO)	56-35-9	0.050
I	8	Cobalt dichloride*	7646-79-9	0.005
I	9	Diarsenic pentaoxide*	1303-28-2	0.005
I	10	Diarsenic trioxide*	1327-53-3	0.005
I	11	Dibutyl phthalate (DBP)	84-74-2	0.050
I	12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD)	-	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	0.005
I	14	Sodium dichromate*	10588-01-9 /7789-12-0	0.005
I	15	Triethyl arsenate*	15606-95-8	0.005
II	16	2,4-Dinitrotoluene	121-14-2	0.050
II	17	Anthracene oil**	90640-80-5	0.050
II	18	Anthracene oil, anthracene paste**	90640-81-6	0.050
II	19	Anthracene oil, anthracene paste, anthracene fraction**	91995-15-2	0.050
II	20	Anthracene oil, anthracene paste, distn. Lights**	91995-17-4	0.050
II	21	Anthracene oil, anthracene-low**	90640-82-7	0.050
II	22	Diisobutyl phthalate	84-69-5	0.050
II	23	Lead chromate*	7758-97-6	0.005
II	24	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	0.005
II	25	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	0.005
II	26	Pitch, coal tar, high temp. **	65996-93-2	0.050
II	27	Tris(2-chloroethyl)phosphate	115-96-8	0.050
II	28	Acrylamide	79-06-1	0.050
III	29	Ammonium dichromate*	7789-09-5	0.005
III	30	Boric acid*	-	0.005
III	31	Disodium tetraborate, anhydrous*	12179-04-3	0.005

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
			/1303-96-4 /1330-43-4	
III	32	Potassium chromate*	7789-00-6	0.005
III	33	Potassium dichromate*	7778-50-9	0.005
III	34	Sodium chromate*	7775-11-3	0.005
III	35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1	0.005
III	36	Trichloroethylene	79-01-6	0.050
IV	37	2-Ethoxyethanol	110-80-5	0.050
IV	38	2-Methoxyethanol	109-86-4	0.050
IV	39	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	-	0.005
IV	40	Chromium trioxide*	1333-82-0	0.005
IV	41	Cobalt(II) carbonate*	513-79-1	0.005
IV	42	Cobalt(II) diacetate*	71-48-7	0.005
IV	43	Cobalt(II) dinitrate*	10141-05-6	0.005
IV	44	Cobalt(II) sulphate*	10124-43-3	0.005
V	45	1,2,3-trichloropropane	96-18-4	0.050
V	46	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	0.050
V	47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	0.050
V	48	1-methyl-2-pyrrolidone	872-50-4	0.050
V	49	2-ethoxyethyl acetate	111-15-9	0.050
V	50	Hydrazine	302-01-2 /7803-57-8	0.050
V	51	strontium chromate*	7789-06-2	0.005
VI	52	1,2-Dichloroethane	107-06-2	0.050
VI	53	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	0.050
VI	54	2-Methoxyaniline; o-Anisidine	90-04-0	0.050
VI	55	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.050
VI	56	Aluminosilicate Refractory Ceramic Fibres*	-	0.005
VI	57	Arsenic acid*	7778-39-4	0.005
VI	58	Bis(2-methoxyethyl) ether	111-96-6	0.050
VI	59	Bis(2-methoxyethyl) phthalate	117-82-8	0.050
VI	60	Calcium arsenate*	7778-44-1	0.005
VI	61	Dichromium tris(chromate)*	24613-89-6	0.005
VI	62	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	0.050
VI	63	Lead diazide, Lead azide*	13424-46-9	0.005
VI	64	Lead dipicrate*	6477-64-1	0.005
VI	65	Lead styphnate*	15245-44-0	0.005
VI	66	N,N-dimethylacetamide	127-19-5	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
VI	67	Pentazinc chromate octahydroxide*	49663-84-5	0.005
VI	68	Phenolphthalein	77-09-8	0.050
VI	69	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	0.005
VI	70	Trilead diarsenate*	3687-31-8	0.005
VI	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	-	0.005
VII	72	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)§	2580-56-5	0.050
VII	73	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) §	548-62-9	0.050
VII	74	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.050
VII	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	0.050
VII	76	4,4'-bis(dimethylamino) benzophenone (Michler's Ketone)	90-94-8	0.050
VII	77	4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol§	561-41-1	0.050
VII	78	Diboron trioxide*	1303-86-2	0.005
VII	79	Formamide	75-12-7	0.050
VII	80	Lead(II) bis(methanesulfonate)*	17570-76-2	0.005
VII	81	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	0.050
VII	82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	0.050
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) §	6786-83-0	0.050
VII	84	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	0.050
VIII	85	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.005
VIII	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.050
VIII	87	1,2-Diethoxyethane	629-14-1	0.050
VIII	88	1-Bromopropane	106-94-5	0.050
VIII	89	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.050
VIII	91	4,4'-Methylenedi-o-toluidine	838-88-0	0.050
VIII	92	4,4'-Oxydianiline and its salts	101-80-4	0.050
VIII	93	4-Aminoazobenzene	60-09-3	0.050
VIII	94	4-Methyl-m-phenylenediamine	95-80-7	0.050
VIII	95	4-Nonylphenol, branched and linear	-	0.050
VIII	96	6-Methoxy-m-toluidine	120-71-8	0.050
VIII	97	Acetic acid, lead salt, basic*	51404-69-4	0.005
VIII	98	Biphenyl-4-ylamine	92-67-1	0.050
VIII	99	Decabromodiphenyl ether (DecaBDE)	1163-19-5	0.050
VIII	100	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	-	0.050
VIII	101	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	0.050
VIII	102	Dibutyltin dichloride (DBTC)	683-18-1	0.050
VIII	103	Diethyl sulphate	64-67-5	0.050
VIII	104	Diisopentylphthalate	605-50-5	0.050
VIII	105	Dimethyl sulphate	77-78-1	0.050
VIII	106	Dinoseb	88-85-7	0.050
VIII	107	Dioxobis(stearato)trilead*	12578-12-0	0.005
VIII	108	Fatty acids, C16-18, lead salts*	91031-62-8	0.005
VIII	109	Furan	110-00-9	0.050
VIII	110	Henicosafluoroundecanoic acid	2058-94-8	0.050
VIII	111	Heptacosafluorotetradecanoic acid	376-06-7	0.050
VIII	112	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	-	0.050
VIII	113	Lead bis(tetrafluoroborate)*	13814-96-5	0.005
VIII	114	Lead cyanamidate*	20837-86-9	0.005
VIII	115	Lead dinitrate*	10099-74-8	0.005
VIII	116	Lead monoxide*	1317-36-8	0.005
VIII	117	Lead oxide sulfate*	12036-76-9	0.005
VIII	118	Lead tetroxide (orange lead)*	1314-41-6	0.005
VIII	119	Lead titanium trioxide*	12060-00-3	0.005
VIII	120	Lead titanium zirconium oxide*	12626-81-2	0.005
VIII	121	Methoxyacetic acid	625-45-6	0.050
VIII	122	Methyloxirane (Propylene oxide)	75-56-9	0.050
VIII	123	N,N-Dimethylformamide	68-12-2	0.050
VIII	124	N-Methylacetamide	79-16-3	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
VIII	125	N-Pentyl-isopentylphthalate	776297-69-9	0.050
VIII	126	o-Aminoazotoluene	97-56-3	0.050
VIII	127	o-Toluidine	95-53-4	0.050
VIII	128	Pentacosafluorotridecanoic acid	72629-94-8	0.050
VIII	129	Pentalead tetraoxide sulphate*	12065-90-6	0.005
VIII	130	Pyrochlore, antimony lead yellow*	8012-00-8	0.005
VIII	131	Silicic acid, barium salt, lead-doped*	68784-75-8	0.005
VIII	132	Silicic acid, lead salt*	11120-22-2	0.005
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.005
VIII	134	Tetraethyllead*	78-00-2	0.005
VIII	135	Tetralead trioxide sulphate*	12202-17-4	0.005
VIII	136	Tricosafluorododecanoic acid	307-55-1	0.050
VIII	137	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	0.005
VIII	138	Trilead dioxide phosphonate*	12141-20-7	0.005
IX	139	4-Nonylphenol, branched and linear, ethoxylated	-	0.050
IX	140	Ammonium pentadecafluorooctanoate (APFO)**	3825-26-1	0.050
IX	141	Cadmium oxide*	1306-19-0	0.005
IX	142	Cadmium	7440-43-9	0.005
IX	143	Dipentyl phthalate (DPP)	131-18-0	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.050
X	145	Cadmium sulphide*	1306-23-6	0.005
X	146	Dihexyl phthalate	84-75-3	0.050
X	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.050
X	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.050
X	149	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.050
X	150	Lead di(acetate)*	301-04-2	0.005
X	151	Trixylyl phosphate	25155-23-1	0.050
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.050
XI	153	Cadmium chloride*	10108-64-2	0.005
XI	154	Sodium perborate; perboric acid, sodium salt*	-	0.005
XI	155	Sodium peroxometaborate*	7632-04-4	0.005
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
XII	157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.050
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	0.050
XII	159	Cadmium fluoride*	7790-79-6	0.005
XII	160	Cadmium sulphate*	10124-36-4 /31119-53-6	0.005
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE)	-	0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	-	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	0.050
XIV	164	1,3-propanesultone	1120-71-4	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327)	3864-99-1	0.050
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	0.050
XIV	167	Nitrobenzene	98-95-3	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	-	0.050
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.050
XVI	170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.050
XVI	171	4-Heptylphenol, branched and linear	-	0.050
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	-	0.050
XVI	173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	-	0.050
XVIII	175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (*Dechlorane	-	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
		Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]		
XVIII	176	Benz[a]anthracene	56-55-3	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	0.005
XVIII	178	Cadmium carbonate*	513-78-0	0.005
XVIII	179	Cadmium hydroxide*	21041-95-2	0.005
XVIII	180	Chrysene	218-01-9	0.050
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.050
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	0.050
XIX	183	Benzo[ghi]perylene	191-24-2	0.050
XIX	184	Decamethylcyclopentasiloxane (D5)	541-02-6	0.050
XIX	185	Dicyclohexyl phthalate (DCHP)	84-61-7	0.050
XIX	186	Disodium octaborate*	12008-41-2	0.005
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	0.050
XIX	189	Lead	7439-92-1	0.005
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	0.050
XX	195	Fluoranthene	206-44-0	0.050
XX	196	Phenanthrene	85-01-8	0.050
XX	197	Pyrene	129-00-0	0.050
XXI	198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	0.050
XXI	199	2-methoxyethyl acetate	110-49-6	0.050
XXI	200	4-tert-butylphenol (PTBP)	98-54-4	0.050
XXI	201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP)	-	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
XXII	204	Diisohexyl phthalate	71850-09-4	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.050
XXIII	206	1-vinylimidazole	1072-63-5	0.050
XXIII	207	2-methylimidazole	693-98-1	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin**	22673-19-4	0.050
XXIV	210	bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	0.050
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety**	-	0.050
XXV	212	1,4-Dioxane	123-91-1	0.050
XXV	213	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	-	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.050
XXV	215	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)	77-40-7	0.050
XXV	216	Glutaral	111-30-8	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	0.050
XXV	218	Orthoboric acid, sodium salt*	13840-56-7	0.005
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-	255881-94-8	0.050

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Batch	No.	Substance Name	CAS No.	RL (%)
		(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate		
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	0.050
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	0.050
XXVIII	228	Barium diboron tetraoxide*	13701-59-2	0.005
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	0.050
XXVIII	231	Melamine	108-78-1	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	-	0.050
XXVIII	233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine*	-	0.050
XXIX	234	Bis(4-chlorophenyl) sulphone	80-07-9	0.050
XXIX	235	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	0.050
XXX	236	2,4,6-tri-tert-butylphenol	732-26-3	0.050
XXX	237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	3147-75-9	0.050
XXX	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	0.050
XXX	239	Bumetrizole (UV-326)	3896-11-5	0.050
XXX	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	-	0.050
XXXI	241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	0.050
XXXI	242	Triphenyl phosphate	115-86-6	0.050
XXXII	243	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	0.050
XXXII	244	O,O,O-triphenyl phosphorothioate	597-82-0	0.050
XXXII	245	Octamethyltrisiloxane	107-51-7	0.050
XXXII	246	Perfluamine	338-83-0	0.050
XXXII	247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	0.050
/	248	Resorcinol	108-46-3	0.050

Batch	No.	Substance Name	CAS No.	RL (%)
/	249	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane	17928-28-8	0.050
/	250	Decamethyltetrasiloxane	141-62-8	0.050
/	251	Dodecamethylpentasiloxane	141-63-9	0.050
/	252	Hexamethyldisiloxane	107-46-0	0.050
/	253	tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-{[4-(vinylsulfonyl)phenyl]amino}-1,3,5-triazine-2-yl)amino]propyl}amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51	-	0.100

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	A1	CAN25-0035728-0001.C001	Glass lid	Glass

Remarks:

(1) mg/dm² = milligram per square decimeter
mg/inch² = milligram per square inches
μg/cm² = microgram per square centimeter
mg/L = milligram per litre
mg/kg = milligram per kilogram

(2) ℃ = degree Celsius
℉ = degree Fahrenheit

(1) <= less than
(2) RL = Reporting Limit
(3) ND = Not Detected (< RL).

GB 4806.5-2016 - Specific migration of lead and cadmium

Test Method: GB 31604.49-2023 part 2 method Ⅱ.

A1 Cooking ware Pass

Test Condition: 98°C, 2 hrs

	Vol. of 4% acetic acid used (mL)
1	300

	Specific migration of Pb (mg/L)	Specific migration of Cd (mg/L)
1	<0.1	<0.01
Limit	0.5	0.05

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Notes:
(1) Flatware：With an internal depth not exceeding 25mm, measured from the lowest point to the horizontal plane.
(2) Hollowware：With an internal depth exceeding 25mm, measured from the lowest point to the horizontal plane.
(3) Storage pitcher：Hollowware with capacity not less than 3L.
(4) Large hollowware: Hollowware with capacity between1.1L and 3L.
(5) Small hollowware: Hollowware with capacity less than 1.1L.
(6) Cooking ware: Article used for heating or preparing food.

US FDA CPG Sec.545.400 and CPG Sec 545.450 - Leachable Lead and Cadmium

Test Method: With reference to AOAC 973.32-1977(1996) with modification according to US FDA Letter to Retailers and Distributors of Cookware (12/12/2024), analysis was performed by AAS/ICP-OES.

A1 Flatware Pass

	Extract volume (mL)	Surface Area (dm^2)
1	1123	7.24
2	1123	7.24
3	1123	7.24
4	1123	7.24
5	1123	7.24
6	1123	7.24

	Leachable Lead (µg/mL)	Leachable Cadmium (µg/mL)
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
Avg	<0.05	<0.01
Limit	3.0	0.5

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Notes:
Flatware - Articles which cannot be filled and articles which can be filled, the internal depth of which does not exceed 25 mm.
Small Hollowware - Articles which can be filled with the internal depth of which exceed 25 mm and capacity of less than 1.1 liter.
Large Hollowware - Articles which can be filled with the internal depth of which exceed 25 mm and capacity of 1.1 liter or more.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31 with amendments and BfR recommendation - Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024.
No. of panelist: 6

Test Media	Test Condition
	A1
Distilled water	100°C, 2 hrs

Test Item(s)	Limit	Unit(s)	A1
Area/Volume	-	dm^2/kg	10.0
Sensorial examination odour	2.5	-	0
Sensorial examination taste	2.5	-	0
Comment			**Pass**

Notes:
Intensity scale (rounded at 0.5):
0 – no perceptible difference
1 – just perceptible difference
2 – slight difference
3 – marked difference
4 – strong difference

Docusign Envelope ID: 14C3D695-E868-8512-816C-9D030E400BD4

VOGUE

Vogue Cookware, Fourth Way, Avonmouth, Bristol, BS11 8TB
Tel: 0117 316 5000 | Email: enquiries@vogue-cookware.com

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, DIN 51032:2017 - Leachable Lead and Cadmium

Test Method: With reference to EN 1388-2:1995, analysis was performed by AAS/ICP-OES.

A1 Flatware Pass

	Surface Area (dm^2)	Vol. of 4% acetic acid used (mL)
1	3.46	300

	Leachable Lead (mg/dm^2)	Leachable Cadmium (mg/dm^2)
1	<0.1	<0.01
Limit	0.4	0.05

Notes:
(1) Flatware: With an internal depth less than 25mm, measured from the lowest point to the horizontal plane passing through the overflow point.
(2) Hollowware: Those articles which do not fall into the category of Flatware.

Permissible limits for articles made from ceramics, glass and glass ceramics

Items	Flatware		Hollow-ware	
	Lead mg/dm^2	Cadmium mg/dm^2	Lead mg/L	Cadmium mg/L
Table ware and kitchen utensils made of ceramics, glass and glass ceramics	0.8[a]	0.07[a]	4.0[a]	0.3[a]
Cooking and baking equipment, packaging containers, storage containers made of ceramic, glass and glass ceramics	0.4	0.05	1.5[a]	0.1[a]

Note: [a] In accordance with the EU directive on ceramic objects.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, ALS Opinion Number 2017/15 - Leachable cobalt

Test Method: With reference to EN 1388-2:1995, analysis was performed by ICP-OES.

A1 Flatware Pass

	Surface Area (dm^2)	Vol. of 4% acetic acid used (mL)
1	3.46	300

	Leachable Cobalt (mg/dm^2)
1	<0.01
Limit	0.02

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.